Receipt Camera® 영수증사진기®


carrot.mill company

Adress: 281, Seongsan-ro, Seodaemun-gu, Seoul (Republic of Korea)

Tel: 02-337-3535 Fax: 02-334-3535

Business registration number: 811-87-00191 Trademark registration number: 40-1783979

Email: <u>cecil@rounders.me</u>





Diffusion of experience filling space, starting from a single point.



receipt camera®

Objet · Space · experience

The smallest point making up an object fills space and spreads out across your diverse

experiences. The three keywords that constitute the Receipt Camera® machine are

metaphors for infinite diffusivity. It fills, spreads, and sustains through small


encounters that start from a single point.

- Brief Company -



Your record, new discovery

Vivid user experiences of the most widely used and irreplaceable Brief Receipt Camera® can be checked through various social media platforms.



10,00+ #영수증사진기 post

Receipt Camera® is registered trademark



Certificate of trademark registration





Certificate / Certificate of design registration



Japanese trademark registration certificate





International Registration Certificate of Overseas Trademark

Receipt Camera® 8-inch RECEIPT GRID

Receipt Camera® 8-inch RECEIPT FRAME

Receipt Camera® 8-inch RECEIPT ONE

Receipt Camera® 8-inch RECEIPT LITE

Color: Walnut, Oak, Maple Paper: Thermal paper

Product Size: 305mm*305mm*305mm

Output logo settings



Easily customizable, your own custom branding

The Receipt Camera® offers powerful customization features. By leveraging various functions supported by dedicated software, it can be utilized as a marketing tool tailored to my brand, encouraging customer engagement.




QTY

삼성생명

Random top and bottom image output (RECEIPT GRID / FRAME / ONE)

The Receipt Camera® allows easy insertion of images that are printed together at the top and bottom through the software settings window. It offers the freedom of customization, allowing the insertion of logos used in the store, promotional/marketing messages, and more. You can insert multiple images, up to 15 each for the top and bottom, through sequential or random printing. This functionality enables diverse presentations tailored to various needs such as giveaways, QR codes, coupons, barcode printing, and more.



Random top and bottom image examples

WATCH THE VIDEO

2 Customizing UI screens (skin)

(RECEIPT FRAME / ONE)

The Receipt Camera® offers the ability to customize the shooting software UI skin. Users can either choose from pre-loaded themes or create a custom Receipt Camera® by inserting self-designed shooting buttons and background images, allowing for a personalized Receipt Camera® that represents our brand.






8-inch RECEIPT ONE supply case

WATCH THE VIDEO

3 Customizing frame design

(RECEIPT FRAME)


The Receipt Camera® RECEIPT FRAME offers the capability to capture photos with backgrounds. Users can utilize over 30 pre-loaded frames or customize their own frames, allowing for up to 12 custom frames. This setting enables a custom Receipt Camera® configuration perfectly tailored to our brand using personally created frames.



8-inch RECEIPT FRAME pre-loaded frames of 30 varieties

Customizing frame design (RECEIPT FRAME)

The Receipt Camera® RECEIPT FRAME offers the capability to capture photos with backgrounds. Users can utilize over 30 pre-loaded frames or customize their own frames, allowing for up to 12 custom frames. This setting enables a custom Receipt Camera® configuration perfectly tailored to our brand using personally created frames.



8-inch RECEIPT FRAME custom frames can be applied

Participatory top and bottom image customization (RECEIPT GRID / FRAME / ONE)

The Receipt Camera® allows easy insertion of images that are printed together at the top and bottom through the software settings window.

The administrator can insert design images of the desired size, allowing for various presentations as a customer-engaged marketing object.







Customer-engaged top and bottom image customization case

WATCH THE VIDEO

8-inch RECEIPT GRID

Receipt Camera® 8-inch RECEIPT GRID

8-inch tablet

Walnut, Oak, Maple
Thormal paper 1 roll, based on thorm

Thermal paper 1 roll, based on thermal paper 79x80(80M) standard

Thermal paper: Maximum 500 shots

Photo size: W75mm*H115mm

Two to four photo image per sheet

Output logo settings

(Logos and images are printed at the top and bottom)



8-inch tablet

Walnut, Oak, Maple

Thermal paper 1 roll, based on thermal paper 79x80(80M) standard

Thermal paper : Maximum 500 shots

Photo size: W75mm*H115mm

Two to four photo image per sheet

Output logo settings

(Logos and images are printed at the top and bottom)

Worldwide shipping service is available



Top logo & image area





Bottom logo & image area

W 75mm

H 115mm

Receipt Camera® 8-inch RECEIPT GRID





RECEIPT GRID 4 divided



RECEIPT GRID **T divided**



RECEIPT GRID 2 divided



RECEIPT GRID 3 divided

Receipt Camera® 8-inch RECEIPT GRID



















RECEIPT GRID 2 divided



8-inch RECEIPT FRAME

Receipt Camera® 8-inch RECEIPT FRAME

8-inch tablet Walnut, Oak, Maple

Thermal paper 1 roll, based on thermal paper 79x80(80M) standard

Thermal paper : Maximum 800 shots

Photo size: W75mm*H75mm One photo image per sheet Output logo settings

(Logos and images are printed at the top and bottom)



Receipt Camera® 8-inch RECEIPT FRAME

8-inch tablet

Walnut, Oak, Maple

Thermal paper 1 roll, based on thermal paper 79x80(80M) standard

Thermal paper : Maximum 800 shots

Photo size: W75mm*H75mm One photo image per sheet


Output logo settings

(Logos and images are printed at the top and bottom)





Receipt Camera® 8-inch RECEIPT FRAME variation skins













8-inch RECEIPT ONE

Receipt Camera® 8-inch RECEIPT ONE

8-inch tablet Walnut, Oak, Maple

Thermal paper 1 roll, based on thermal paper 79x80(80M) standard

Thermal paper : Maximum 800 shots

Photo size: W75mm*H75mm
One photo image per sheet

Output logo settings

(Logos and images are printed at the top and bottom)



Receipt Camera® 8-inch RECEIPT ONE

8-inch tablet

Walnut, Oak, Maple

Thermal paper 1 roll, based on thermal paper 79x80(80M) standard


Thermal paper : Maximum 800 shots

Photo size: W75mm*H75mm One photo image per sheet

Output logo settings

(Logos and images are printed at the top and bottom)






Receipt Camera® 8-inch RECEIPT ONE

variation skins

















































8-inch RECEIPT LITE

Receipt Camera® 8-inch LITE

8-inch tablet

Brown

App : RECEIPT GRID/FRAME/ONE

Thermal paper 1 roll, based on thermal paper 79x80(80M) standard

GRID : Maximum 500 shots, Two to four photo image per sheet FRAME, ONE : Maximum 800 shots, One photo image per sheet

Output logo settings

(Logos and images are printed at the top and bottom)



Receipt Camera® 8-inch LITE

8-inch tablet

Brown

App : RECEIPT GRID/FRAME/ONE

Thermal paper 1 roll, based on thermal paper 79x80(80M) standard

GRID : Maximum 500 shots, Two to four photo image per sheet FRAME, ONE : Maximum 800 shots, One photo image per sheet

Output logo settings

(Logos and images are printed at the top and bottom)



Receipt Camera® 8-inch purchase cost

The Receipt Camera® supports worldwide shipping through UPS international delivery services. International shipping costs are included in all purchase prices. (Customs duties and taxes are charged separately from each country's tax agency.)



Receipt Camera® 8-inch purchase cost

The Receipt Camera® supports worldwide shipping through UPS international delivery services. International shipping costs are included in all purchase prices. (Customs duties and taxes are charged separately from each country's tax agency.)

8-inch Standard type	8-inch Built-in type	8-inch Wall-mount type	8-inch LITE
	USD 1,799 : All Receipt app usage (including international shipping fees)		USD 1,599 : All Receipt app usage (including international shipping fees)

Types of apps	8-inch RECEIPT ONE	8-inch RECEIPT FRAME	8-inch RECEIPT GRID	8-inch RECEIPT ONE	8-inch RECEIPT FRAME	8-inch RECEIPT GRID
Shooting method (Using thermal paper)			Capture in a 10:16 ratio, 2 to 4 cuts. Output one image in 75 x 115mm size. Based on thermal paper size 79x80 (80M). Capable of capturing up to a maximum of 500 images.	Capture in a square format. Output one image in 75 x 75mm size. One roll of thermal paper, based on thermal paper size 79x80(80M). Capable of capturing up to a maximum of 800 images.		Capture in a 10:16 ratio, 2 to 4 cuts. Output one image in 75 x 115mm size. Based on thermal paper size 79x80 (80M). Capable of capturing up to a maximum of 500 images.
Logo/Image /frame setup	Built-in top and bottom skins or directly set by the administrator.		Layout user-selectable or directly set by the administrator.	Built-in top and bottom skins or directly set by the administrator.		Layout user-selectable or directly set by the administrator.



Color: Walnut

Paper: Thermal paper

Product Size: 305mm*305mm*305mm

Output logo settings





Color: Oak

Paper: Thermal paper

Product Size: 305mm*305mm*305mm

Output logo settings





Color: Maple

Paper: Thermal paper

Product Size: 305mm*305mm*305mm

Output logo settings





Receipt Camera® 8-inch LITE

Color: Brown

Paper: Thermal paper

Product Size: 204mm*204mm*288mm

Output logo settings



8-inch receipt roll paper

1 You can insert images (including text) at the top and bottom of the receipt photo.



Receipt Camera® 8-inch
RECEIPT ONE



Receipt Camera® 8-inch
RECEIPT FRAME



Receipt Camera® 8-inch
RECEIPT GRID

2 You can change the position of the inserted images (including logos) at the top and bottom to the left, center, or right.







align: LEFT align: CENTER

align : RIGHT

Receipt Camera® 10-inch **STICKY FRAME**Receipt Camera® 10-inch **STICKY MORE**Receipt Camera® 10-inch **STICKY ONE**

Color: Walnut, Oak, Maple

Paper: Label sticker

Product Size: 325mm*325mm*325mm

Output logo settings




Easily customizable, your own custom branding


The Receipt Camera® offers powerful customization features. By leveraging various functions supported by dedicated software, it can be utilized as a marketing tool tailored to my brand, encouraging customer engagement.



Random top and bottom image output (STICKY MORE / ONE)

The Receipt Camera® allows easy insertion of images that are printed together at the top and bottom through the software settings window. It offers the freedom of customization, allowing the insertion of logos used in the store, promotional/marketing messages, and more. You can insert multiple images, up to 15 each for the top and bottom, through sequential or random printing. This functionality enables diverse presentations tailored to various needs such as giveaways, QR codes, coupons, barcode printing, and more.





Random top and bottom image examples

WATCH THE VIDEO

2 Customizing UI screens (skin)

(STICKY FRAME / MORE / ONE)

The Receipt Camera® offers the ability to customize the shooting software UI skin. Users can either choose from pre-loaded themes or create a custom Receipt Camera® by inserting self-designed shooting buttons and background images, allowing for a personalized Receipt Camera® that represents our brand.



10-inch STICKY ONE pre-loaded skins of 20 varieties

Customizing frame design (STICKY FRAME)


The Receipt Camera® RECEIPT FRAME offers the capability to capture photos with backgrounds. Users can utilize over 60 pre-loaded frames or customize their own frames, allowing for up to 12 custom frames. This setting enables a custom Receipt Camera® configuration perfectly tailored to our brand using personally created frames.



10-inch STICKY FRAME pre-loaded frames of 60 varieties

Customizing frame design (STICKY FRAME)

The Receipt Camera® RECEIPT FRAME offers the capability to capture photos with backgrounds. Users can utilize over 60 pre-loaded frames or customize their own frames, allowing for up to 12 custom frames. This setting enables a custom Receipt Camera® configuration perfectly tailored to our brand using personally created frames.



10-inch STICKY FRAME custom frames can be applied

Participatory top and bottom image customization (STICKY MORE / ONE)

The Receipt Camera® allows easy insertion of images that are printed together at the top and bottom through the software settings window.

The administrator can insert design images of the desired size, allowing for various presentations as a customer-engaged marketing object.









Customer-engaged top and bottom image customization case


WATCH THE VIDEO

How to make your own photos more special

Before printing a photo, you can decorate it using a stylus or your finger by touching the screen.







10-inch STICKY **ONE**

10-inch STICKY MORE

10-inch STICKY **FRAME**

WATCH THE VIDEO

10-inch STICKY FRAME

Receipt Camera® 10-inch STICKY FRAME

10-inch tablet

Walnut, Oak, Maple

Label sticker paper 1 roll: Black(30.4M), Black-Red(15.25M)

Black(30.4M): Maximum 300 shots Black-Red(15.25M): Maximum 150 shots

Photo size: W98mm*H59mm / Paper size for printing: H62mm

One photo image per sheet

Output logo settings(Logo position fixed at the bottom right.)



Receipt Camera® 10-inch STICKY FRAME

10-inch tablet

Walnut, Oak, Maple

Label sticker paper 1 roll: Black(30.4M), Black-Red(15.25M)


Black(30.4M): Maximum 300 shots Black-Red(15.25M): Maximum 150 shots

Photo size: W98mm*H59mm / Paper size for printing: H62mm

One photo image per sheet


Output logo settings(Logo position fixed at the bottom right.)






Receipt Camera® 10-inch STICKY FRAME label sticker

Various types of logo images can be applied



Example Logo position: Fixed at the bottom right




Receipt Camera® 10-inch STICKY FRAME variation skins



НАНАНОНО













10-inch STICKY MORE

Receipt Camera® 10-inch STICKY MORE

10-inch tablet

Walnut, Oak, Maple

Label sticker paper 1 roll: Black(30.4M), Black-Red(15.25M)

Black(30.4M): Maximum 350 shots

Black-Red(15.25M): Maximum 180 shots

Photo size: W59mm*H41mm / Paper size for printing: W62mm

Two photo images per sheet

Output logo settings

(Logos and images are printed at the top and bottom)



Receipt Camera® 10-inch STICKY MORE

10-inch tablet

Walnut, Oak, Maple

Label sticker paper 1 roll: Black(30.4M), Black-Red(15.25M)

Black(30.4M): Maximum 350 shots

Black-Red(15.25M): Maximum 180 shots

Photo size: W59mm*H41mm / Paper size for printing: W62mm

Two photo images per sheet


Output logo settings

(Logos and images are printed at the top and bottom)





Receipt Camera® 10-inch STICKY MORE label sticker



- 1 You can insert images (including text) at the top and bottom of the receipt photo.
- You can change the position of the inserted images (including logos) at the top and bottom to the left, center, or right.



Receipt Camera® 10-inch STICKY MORE variation skins



10-inch STICKY ONE

Receipt Camera® 10-inch STICKY ONE

10-inch tablet

Walnut, Oak, Maple

Label sticker paper 1 roll: Black(30.4M), Black-Red(15.25M)

Black(30.4M): Maximum 450 shots

Black-Red(15.25M): Maximum 230 shots

Photo size: W59mm*H59mm / Paper size for printing: W62mm

One photo image per sheet

Output logo settings

(Logos and images are printed at the top and bottom)



Receipt Camera® 10-inch STICKY ONE

10-inch tablet

Walnut, Oak, Maple

Label sticker paper 1 roll: Black(30.4M), Black-Red(15.25M)

Black(30.4M): Maximum 450 shots

Black-Red(15.25M): Maximum 230 shots

Photo size: W59mm*H59mm / Paper size for printing: W62mm

One photo image per sheet

Output logo settings

(Logos and images are printed at the top and bottom)





Receipt Camera® 10-inch STICKY ONE label sticker



- You can insert images (including text) at the top and bottom of the receipt photo.
- You can change the position of the inserted images (including logos) at the top and bottom to the left, center, or right.

Logo & Image

Logo & Image



align: LEFT align: CENTER align: RIGHT



Receipt Camera® 10-inch purchase cost

The Receipt Camera® supports worldwide shipping through UPS international delivery services. International shipping costs are included in all purchase prices. (Customs duties and taxes are charged separately from each country's tax agency.)



Receipt Camera® 10-inch purchase cost

The Receipt Camera® supports worldwide shipping through UPS international delivery services. International shipping costs are included in all purchase prices. (Customs duties and taxes are charged separately from each country's tax agency.)

10-inch			
USD 1,799 : All Receipt app usage (Including international shipping fees)			
Types of apps	10-inch STICKY ONE	10-inch STICKY MORE	10-inch STICKY FRAME
Shooting method (Using label sticker paper)	Capture one cut in a square format, one print. Capable of capturing up to a maximum of 450 images based on one roll of 30m.	Capture 2 cuts in a 16:10 ratio, one print. Capable of capturing up to a maximum of 350 images based on one roll of 30m.	Capture one cuts in a 16:10 ratio, one print. Capable of capturing up to a maximum of 300 images based on one roll of 30m.
Logo/Image/Frame setup	Built-in top and bottom skins or directly set by the administrator.		Built-in frames user-selectable or directly set by the administrator.



Color: Walnut

Paper: Label sticker

Product Size: 325mm*325mm*325mm

Output logo settings



Color: Oak

Paper: Label sticker

Product Size: 325mm*325mm*325mm

Output logo settings



Color: Maple

Paper: Label sticker

Product Size: 325mm*325mm*325mm


Output logo settings

10-inch label sticker

Black label sticker

Easy-peel adhesive type label sticker paper





W 59mm


STICKY **FRAME**



Black-Red label sticker

Easy-peel adhesive type label sticker paper






STICKY **FRAME**



From one object to infinite experiences



CEO Lee Jae Woo **Company name** carrot.mill **Email** cecil@rounders.me

Adress 281, Seongsan-ro, Seodaemun-gu, Seoul (Republic of Korea)

Tel 02-337-3535 **Fax** 02-334-3535

Business registration number 881-87-00191

THANKYOU